	ORNAMENTAL TREES				
	Botanical Name	Common Name	Height	Spread	
*	Aesculus spp.	Red Buckeye	10'-20'	10'-20'	
*	Amelanchier spp.	Allegheny Serviceberry	15'-25'	variable	
		Note: Used to best advantage in naturalistic plantings			
k	Cercis canadensis	Eastern Redbud	20'-30'	25'-35'	
k	Chionanthus virginicus	Fringe Tree	12'-20'	same	
k	Cladrastis kentukea	Yellowwood	30'-50'	4055'	
		Note: Early pruning necessary for good form			
k	Cornus florida	Flowering Dogwood	variable w/ location	same or greater	
	Lagerstroemia Hybrids	Crapemyrtle Hybrids	variable	variable	
		Note: Look for hardiness in Zone 6			
k	Magnolia virginiana	Sweetbay or Swamp Magnolia	10'-20'	same	
	Malus Hybrids	Crabapple Hybrids	20'-35'	variable	
		Note: Look for disease resistence			
	Prunus 'Hally Jolivette'	Hally Jolivette Cherry	15'-20'	same	
		Note: Fully double flowers; long bloom time			
	Prunus serrulata 'Kwanzan'	Kwanzan Japanese Flowering Cherry	30'-40'	same	
	Prunus subhirtella 'Pendula Plena Rosea'	Weeping Higan Cherry	20'-40'	15'-30'	
	Prunus x yedoensis	Yoshino Cherry	20'-30'	same or greater	
	Syringa reticulata 'Ivory Silk'	Ivory Silk Japanese Tree Lilac	20'-30'	15'-25'	
	* denotes North American native species				

	SHRUBS				
	Botanical Name	Common Name	Height	Spread	
*	Aronia arbutifolia	Red Choke Cherry	6'-10'	3'-5'	
	Corylopsis glabrescens	Fragrant Witchhazel	8'-15'	same	
		Note: Acid soil; see various cultivars for flower colors			
	Cotinus coggygria cultivars	Purple Smokebush Cultivars	variable (8'-20')	variable	
	Hamamelis Hybrids	Witchhazel Hybrids	6'-10'	variable	
		Note: See various hybrids for flower colors			
	Hamamelis vernalis	Vernal Witchhazel	6'-10'	greater	
	Ilex crenata cultivars	Japanese Holly Cultivars	variable	variable	
*	Ilex glabra	Inkberry Holly	6'-8'	8'-10'	
*	Ilex verticillata	Common Winterberry	6'-10'	same	
		Note: Need a male plant to pollinate females			
*	Rhododendron prunifolium	Plumleaf Azalea	8' (in NJ)	5' (6')	
		Note: blooms in July; morning sun; moist, acid soil			
	Spiraea thunbergii	Thunberg Spirea	3'-5'	same or greater	
*	Viburnum dentatum	Arrowwood Viburnum	6'-8' (15')	6'-15'	
	*denotes North American native species			+	

	PLANTINGS IN WOODED SETTINGS				
	Botanical Name	Common Name	Height	Spread	
*	Amelanchier spp.	Allegheny Serviceberry	15'-25'	variable	
		Note: partial shade; acid soil			
*	Cercis canadensis	Eastern Redbud	20'-30'	25'-35'	
		Note: light shade; moist soil			
*	Clethra alnifolia	Summersweet Clethra	4'-8' (12')	4'-6' (10')	
		Note: partial shade; acid soil			
*	Cornus florida	Flowering Dogwood	variable (20')	same or greater	
		Note: partial shade; acid, cool, moist soil			
	Corylopsis pauciflora	Buttercup Witchhazel	4'-6'	same or greater	
		Note: light shade; needs protection from wind			
	Corylopsis spicata	Spike Witchhazel	4'-6'	greater	
		Note: light shade; needs protection from wind			
*	Halesia diptera	Two-Winged Silverbell	20'-30'	same	
		Note: understory tree; moist, acid soil			
*	Halesia tetraptera	Carolina Silverbell	30'-35'	20'-25'	
		Note: understory tree; moist, acid soil			
*	Ilex glabra	Inkberry Holly	6'-8'	8'-10'	
		Note: partial shade; moist, acid soil			
*	Ilex verticillata	Common Winterberry	6'-10'	same	
		Note: light shade; need a male plant to pollinate females			
*	Kalmia latifolia	Mountain Laurel	7'-15'	same	
		Note: partial to full shade; acid, cool, moist soil			
*	Mahonia aquifolium	Oregon Grapeholly	3'-6' (9')	3'-5'	
		Note: full shade; will sucker to form colonies; needs wind protection; moist, acid soil			
*	Mahonia aquifolium 'Apollo'	Apollo Oregon Grapeholly	+/- 2'	same	
		Note: good ground cover			

	Botanical Name	Common Name	Height	Spread
*	Mahonia aquifolium 'King's Ransom'	King's Ransom Oregon Grapeholly	5'	less than height
		Note: good specimen		
*	Rhododendron maximum	Rosebay Rhododendron Note: understory shrub; acid, cool, moist soil; needs	4'-15'	same or greater
		well drained root run		
*	Rhododendron prunifolium	Plumleaf Azalea	8' (in NJ)	5' (6')
		Note: Blooms in July; morning sun; moist, acid soil		
	*denotes North American native species			

	PLANTINGS IN AND AROUND DETENTION BASINS					
	Botanical Name	Common Name	Height	Spread		
*	Acer rubrum 'October Glory'	October Glory Red Maple	40'-50'	same		
*	Acer rubrum "Red Sunset'	Red Sunset Red Maple	45'-50'	35'-40'		
*	Amelanchier spp.	Allegheny Serviceberry	15'-25'	variable		
*	Aronia arbutifolia	Red Choke Cherry	6'-10'	3'-5'		
*	Clethra alnifolia	Summersweet Clethra	4'-8' (12')	4'-6' (10')		
	Hamamelis Hybrids	Witchhazel Hybrids	6'-10'	variable		
		Note: See various hybrids for flower colors				
	Hamamelis vernalis	Vernal Witchhazel	6'-10'	greater		
		Note: Acid soil				
*	Ilex verticillata	Common Winterberry	6'-10'	same		
		Note: Need a male plant to pollinate females				
*	Liquidambar styraciflua 'Rotundiloba'	Rotundiloba Sweetgum	60'-75'	same		
		Note: Seedless				
	Salix alba 'Tristis'	Golden Weeping Willow	50'-70'	same		
		Note: Must be planted near water				
*	Viburnum dentatum	Arrowwood Viburnum	6'-8' (15')	6'-15'		
*	Viburnum lentago	Nannyberry Viburnum	15'-18'	10' or greater		
	* denotes North American native species					

TREES FOR LARGE OPEN AREAS					
	Botanical Name	Common Name	Height	Spread	
*	Acer saccharum	Sugar Maple	60'-75'	2/3 of height	
				Can be variable	
	Fagus sylvatica 'Pendula'	Weeping European Beech	50'-60' (100')	35'-45' (70')	
		Note: Slow growing 9'-12'/10 years; branching to the ground. There is no finer specimen tree.			
	Gingko biloba (male only)	Gingko Tree	50'-80'	variable 30'-40'	
*	Ilex opaca	American Holly	18'-40'	10'-30'	
		Note: Planting site needs protection from wind			
	Liquidambar styracifula 'Rotundiloba'	Rotundiloba Sweetgum - seedless	60'-75'	same	
	Metasequoia glyptostroboides	Dawn Redwood	70'-100' (120')	40'-50'	
	Platanus x acerifolis 'Bloodgood'	London Plane Tree	50'-70' (100')	40'-65' (80')	
		Note: Resistant to Anthracnose			
*	Quercus alba	White Oak	50'-80'	greater than height	
		Note: Resistant to Bacterial Leaf Scorch			
*	Quercus bicolor	Swamp White Oak	50'-60' (80')	same or greater	
		Note: Requires acid soil			
*	Quercus macrocarpa	Bur Oak (White Oak Family)	70'-80'	same or greater	
*	Quercus prinus	Chestnut Oak	60'-70'	same	
*	Tilia americana 'Redmond'	Redmond American Linden	60'-80'	1/2 - 2/3 of height	
*	Ulmus americana 'Princeton'	Princeton Elm	60'-80'	same	
		Note: Resistant to Dutch Elm Disease			
*	Ulmus americana 'Washington'	Washington Elm	70'-80'	same	
		Note: Resistant to Dutch Elm Disease			
	Zelkova serrata 'Green Vase'	Green Vase Japanese Zelkova	60'-70'	40'-50'	
	Zelkova serrata 'Village Green'	Village Green Japanese Zelkova	60'-70'	same	
	*denotes North American native species				

Botanical Name	FOR LESS THAN 30" LAWN S	Height	Spread
Acer buergerianun	Trident Maple	20'-35'	same
Acer campestre 'Queen Elizabeth'	Queen Elizabeth Hedge Maple	25'-35' (45')	30'-35'
	Note: Good urban tree		
Acer tataricum	Tatarian Maple	15'-20' (30')	same
Carpinus betulus 'Fastigiata'	Fastigiate European Hornbeam	25'-30'	15'-20'
Carpinus betulus 'Franz Fontaine'	Franz Fontaine European Hornbeam	30'-35'	15'-18'
Koelreuteria paniculata 'Rose Lantern'	Rose Lantern Goldenraintree	25'-35'	same or greater
	Note: Flowers in August		
Prunus serrulata 'Royal Burgundy'	Royal Burgundy Japanese Flowering Cherry	20'-25'	15'-20'
Syringa reticulata japonica 'Ivory Silk'	Ivory Silk Tree Lilac	20'-30'	15'-25'
NOTE: ALL OF THE TREES LISTED ABO	OVE CAN ALSO BE USED IN THE 2'6" to 4'	LAWN STRIP AREA	1

	20'-25'				
	Botanical Name	Common Name	Height	Spread	
	Acer burgeranium	Trident Maple	20'-25'	20'-25'	
	Acer leycoderme	Chalkbark Maple	20'-25'	25'	
	Acer miyabei	Miyabei Maple	30'-40'	same	
	Acer truncatum	Purpleblow Maple	25'-35'	20'-25'	
k	Acer truncatum 'Norwegian Sunset'	Norwegian Sunset Shantung Maple	25'-35'	same	
	Carpinus betulus	European Hornbeam	40'-60'	30'-40'	
	Carpinus Caroliniana	Ironwood, Musclewood	30'	25'	
	Corylus colurna	Turkish Filbert or Hazel	40'-50'	1/3 - 2/3 of height	
		Note: Highly rated street tree			
	Koelreuteria paniculata	Goldenraintree	30'-40'	same or greater	
		Note: Flowers in July			
	Maackia amuresis	Amur Maackia	20'-30'	same	
	Nyssa Sylvatica	Black Tupelo, Black Gum	30'-60'	20'-40'	

	Botanical Name	Common Name	Height	Spread		
*	Ostrya virginiana	American Hophornbeam or Ironwood	25'-40'	2/3 - equal		
		Note: Used as street tree in Boston	Averages 30' in NJ			
*	Parrotia persica	Persian Parrotia	20'-30'	same		
	Prunus sargentii	Sargent Cherry	30'-40' (50')	same		
		Note: Early pruning necessary for good form				
	Quercus acutissima	Sawtooth Oak	50'	40'		
	Quercus muhlenbergii	Chinkapin Oak	30'-50'	30'-60'		
	Tilia Clordata	Little-leaf Linden Greenspire	40'-50'	35'		
	* CAN ALSO BE USED IN LESS THAN 30	LAWN STRIP				
	TREES	FOR MORE THAN 4' WIDE	AREA			
	Botanical Name	Common Name	Height	Spread		
•	Acer rubrum 'October Glory'	October Glory Red Maple	40'-50'	same		
	Acer rubrum 'Red Sunset'	Red Sunset Maple	45'-50'	35'-40'		
	also known as Sophora japonica 'Regent'	(Developed by Princeton Nurseries)				
	Cercidiplyllum japonicum	Katsura Tree	40'-60'	variable		
	Quercus phellos	Willow Oak	40'-60'	30'-40'		
k	Styphnolobium japonicum 'Regent'	Regent Japanese Pagoda Tree	50'-60' (75')	same		
	Tilia cordata 'Greenspire'	Greenspire Little-leaf Linden	50'	same		
		Note: Early pruning necessary for good form				
	*denotes North American native species					
	The Dublic Service Electric	and Gas (DSE&G) website a	nd the Nation	al Arbor		
		The Public Service Electric and Gas (PSE&G) website and the National Arbor				
	Day Foundation do not recommend tree height in excess of 25' for planting beneath powerlines. However, the above listings of trees that exceed that					
	height would be an asset to	the community when plan	ted as shade	trees		
	on the opposite side of the					
		<u> </u>				